




## DESCRIPTION

**nT9BX05 - is 12 module Plastic door floor box**, with elegant finish on the top and carpet cut out and rugged constructions. Manual Door open with cable outlets for closing the door after connection. Makes connectivity easier, simpler and available where required - Rugged construction makes it more durable to different type of atmospheres. Depth adjustable from 76 mm to 110 mm. Available in various customized combinations of power, data, video, voice and fiber interfaces with splicing tray.

**nT9BX05 - is 12 module Plastic door floor box**, is made up of high impact ABS. Carpet cut out space provided on the lid. Manual Door open with cable outlets for closing the door after connection. The top frame size is 225 x 245 mm and the cutout size is 208 mm x 228 mm. The box can accommodate up to 10 interfaces. Depth of the back box can be adjusted from 76 mm to 110 mm - giving more space and flexibility for connections. Available in various customized combinations of power, data, video, voice and fiber interfaces with splicing tray.



Specification

|                      |   |                                               |  |
|----------------------|---|-----------------------------------------------|--|
| Material             | : | Brass/Zinc                                    |  |
| Opening              | : | Manual                                        |  |
| Latch                | : | Manual                                        |  |
| No of module         | : | 12                                            |  |
| Cut out size         | : | 146mm                                         |  |
| Interfaces to Choose | : | TRS, Stereo 3.5mm, USB, Speakon, Displayport, |  |
| IP rating            | : | IP 44                                         |  |
| Color                | : | Brass                                         |  |

With Over 12 Interfaces  
To Choose For Combinations

|                 |               |                |
|-----------------|---------------|----------------|
| A HDMI          | E USB PIGTAIL | I VGA          |
| B HDMI XLR TYPE | F RJ45        | J POWER SOCKET |
| C XLR MALE      | G RCA         | K TELEPHONE    |
| D XLR FEMALE    | H BNC         | L STEREO       |



Straight  
Plate Plugging



Slope  
Plate Plugging



Power  
Socket Plugging

Webpage



Youtube



